




POWER SERVICE PS
Diesel Additives

PRODUCT CATALOG



**Power Service protects
your investment
and fuels your passion**

▪



Performance

*Maximize power
and fuel economy*



Winterization

*Winterize
diesel fuel*



Fuel Tank Hygiene

*Maintain fuel and
tank cleanliness*

Since 1956, our third-generation family-owned company has been manufacturing the most technologically advanced diesel fuel additives through our ongoing commitment to quality, integrity and product advancement. All of our energy and resources are singularly focused on treating diesel fuel.

DIESEL FUEL SUPPLEMENT + CETANE BOOST



Winterizatio



Benefits

Endorsed by Cummins for use in diesel engines

Prevents fuel gelling

Protects against fuel-filter icing

Boosts cetane for faster cold starts

Contains **Slickdiesel**® Lubricator to protect fuel pumps and injectors from increased wear caused by poor quality Ultra Low Sulfur Diesel (ULSD) fuel

Effective in all diesel fuels, including ULSD and biodiesel blends

Safe for use in all diesel engines

Will not void engine manufacturer's warranty when used as directed

Diesel Fuel Supplement +Cetane Boost is a winterizer/antigel that is used in the winter to prevent fuel gelling and protect against ice and wax from plugging fuel-filters. It keeps engines running for maximum operability when temperatures drop below +30°F.

| PART # | PACK | EACH CONTAINER TREATS |
|---|-------------------|-------------------------|
| CUSTOMER CONVENIENCE FORMULA - 1:500 TREATMENT RATIO | | |
| 1012-09 | 9/1 12-Ounce | Up to 40 Gallons |
| 1026-12 | 12/1 26-Ounce | Up to 100 Gallons |
| 1064-06 | 6/1 64-Ounce | Up to 250 Gallons |
| CONCENTRATED FORMULA - 1:1,000 TREATMENT RATIO | | |
| 1128-04 | 4/1 One-Gallon | Up to 1,000 Gallons |
| 1060 | 260-Gallon Tote | Up to 260,000 Gallons |
| 1000 | 6,000-Gallon Min. | Up to 6,000,000 Gallons |
| CONCENTRATED FORMULA - 1:1,500 TREATMENT RATIO | | |
| 1050-02 | Two/2.5-Gallon | Up to 3,750 Gallons |
| 1055 | 55-Gallon Drum | Up to 82,500 Gallons |
| 1260 | 260-Gallon Tote | Up to 390,000 Gallons |



Benefits

Relieves gelled fuel

De-ices frozen fuel-filters

Removes water

Prevents fuel-filter icing

Contains **Slickdiesel®** Lubricator to protect fuel pumps and injectors from increased wear caused by poor quality Ultra Low Sulfur Diesel (ULSD) fuel

Effective in all diesel fuels, including ULSD and biodiesel blends

Safe for use in all diesel engines

Will not void engine manufacturer's warranty when used as directed

Diesel 911 is a winter emergency product used to relieve gelled fuel and de-ice frozen fuel-filters. Use this product if your vehicle will not start or gain power.

| PART # | PACK | EACH CONTAINER TREATS |
|---------|----------------|-----------------------|
| 8026-12 | 12/1 26-Ounce | Up to 100 Gallons |
| 8064-06 | 6/1 64-Ounce | Up to 250 Gallons |
| 8050-02 | Two/2.5-Gallon | Up to 1,250 Gallons |
| 8055 | 55-Gallon Drum | Up to 27,500 Gallons |

DIESEL KLEEN + CETANE BOOST



Performance



Benefits

- Endorsed by Cummins for use in diesel engines

- Cleans dirty injectors and prevents injector sticking in both High Pressure Common Rail (HPCR) and older systems

- Removes both internal and external deposits on fuel injectors

- Boosts cetane up to 6 numbers – engines run smoother with less power lag and faster cold starts

- Boosts power – reduces need for downshifting

- Restores lost power and fuel economy up to 7%

- Contains **Slickdiesel**® Lubricator to protect fuel pumps and injectors from increased wear caused by poor quality Ultra Low Sulfur Diesel (ULSD) fuel

- Prevents formation and agglomeration of asphaltenes – prevents thermal breakdown

- Effective in all diesel fuels, including ULSD and biodiesel blends

- Safe for use in all diesel engines

- Will not void engine manufacturer’s warranty when used as directed

Diesel Kleen + Cetane Boost is a total injector cleaner and performance improver that cleans injectors, boosts cetane and lubricates fuel injection components. It restores lost power and smooths rough-running engines.

| PART # | PACK | EACH CONTAINER TREATS |
|---|-------------------|-------------------------|
| CUSTOMER CONVENIENCE FORMULA – 1:500 TREATMENT RATIO | | |
| 3012-09 | 9/1 12-Ounce | Up to 40 Gallons |
| 3026-12 | 12/1 26-Ounce | Up to 100 Gallons |
| 3064-06 | 6/1 64-Ounce | Up to 250 Gallons |
| CONCENTRATED FORMULA – 1:1,000 TREATMENT RATIO | | |
| 3128-04 | 4/1 One-Gallon | Up to 1,000 Gallons |
| CONCENTRATED FORMULA – 1:1,500 TREATMENT RATIO | | |
| 3850-02 | Two/2.5-Gallon | Up to 3,750 Gallons |
| 3855 | 55-Gallon Drum | Up to 82,500 Gallons |
| 3860 | 260-Gallon Tote | Up to 390,000 Gallons |
| 3800 | 6,000-Gallon Min. | Up to 9,000,000 Gallons |

CLEAR-DIESEL FUEL & TANK CLEANER



Fuel Tank Hygien



Benefits

Disperses diesel fuel contaminants

Removes water and slime

+**Petrofresh**[®] provides maximum long-term storage stability – keeps fuel fresh

Prevents premature fuel-filter plugging

Protects against fuel tank corrosion

Effective in conjunction with **Bio Kleen Diesel Fuel Biocide** to remove residual water and contaminants during microbial contamination clean-ups

Effective in all diesel fuels, including Ultra Low Sulfur Diesel (ULSD) and biodiesel blends

Safe for use in all diesel engines

Will not void engine manufacturer's warranty when used as directed

Clear-Diesel Fuel & Tank Cleaner is an advanced diesel fuel and tank cleaning technology. This Fuel Polishing Formula removes water and slime, disperses fuel contaminants and stabilizes fuel during long-term storage.

| PART # | PACK | EACH CONTAINER TREATS |
|---|----------------|-----------------------|
| CUSTOMER CONVENIENCE FORMULA – 1:500 TREATMENT RATIO | | |
| 9226-12 | 12/1 26-Ounce | Up to 100 Gallons |
| 9264-06 | 6/1 64-Ounce | Up to 250 Gallons |
| CONCENTRATED FORMULA – 1:1,000 TREATMENT RATIO | | |
| 9228-04 | 4/1 One-Gallon | Up to 1,000 Gallons |
| 9250-02 | Two/2.5-Gallon | Up to 2,500 Gallons |
| 9255 | 55-Gallon Drum | Up to 55,000 Gallons |

BIO KLEEN DIESEL FUEL BIOCIDES



Benefits

Dual-Phase – effective in both diesel fuel and water

Effective as a “quick-kill” biocide and for long-term diesel fuel maintenance

Kills microbes (bacteria and fungus) that grow in dispersed and free water associated with diesel fuels

Prevents fuel-filter plugging – helps prevent fuel system failures

Protects fuel system components against organic acids created by microbial growth – prevents fuel tank corrosion

Improves fuel performance

Reduces engine maintenance costs

Effective in all diesel fuels, including Ultra Low Sulfur Diesel (ULSD) and biodiesel blends

Safe for use in all diesel engines

Will not void engine manufacturer’s warranty when used as directed

Bio Kleen Diesel Fuel Biocide is a dual-phase (effective in both diesel fuel and water) biocide that kills microbes in fuel, including bacteria and fungus. Use this product to rid your fuel system of microbial contamination.

| PART # | PACK | SHOCK TREATMENT | MAINTENANCE TREATMENT |
|---------|----------------|-----------------|-----------------------|
| 9016-09 | 9/1 16-Ounce | 320 Gallons | 880 Gallons |
| 9128-04 | 4/1 One-Gallon | 2,500 Gallons | 7,000 Gallons |
| 9055 | 55-Gallon Drum | 137,500 Gallons | 385,000 Gallons |

To ensure peak performance of your diesel, Power Service recommends this maintenance schedule:



Every time you fill up

If temperatures are above 30°F., add Diesel Kleen + Cetane Boost (silver bottle) to clean injectors, boost power, lubricate pumps and injectors and restore lost fuel economy.



If temperatures are below 30°F., add Diesel Fuel Supplement + Cetane Boost (white bottle) for winter operability. It prevents fuel gelling and protects against fuel-filter icing.



In a winter emergency

Use Diesel 9-1-1 to reliquefy gelled fuel and de-ice frozen fuel-filters if your vehicle will not start or gain power in cold weather.



At least quarterly or as needed

Treat with Clear-Diesel Fuel & Tank Cleaner to remove water, disperse contaminants and ensure fuel is stabilized for long-term storage.



If microbial contamination is present

Treat with Bio Kleen Diesel Fuel Biocide to kill the microbes and Clear-Diesel Fuel & Tank Cleaner to remove the residual water and contaminants.



Tank Farm

Serving a Purpose

Power Service Products is America's largest manufacturer of technologically advanced diesel fuel additives. Since 1956, our third-generation family-owned company has been manufacturing the most technologically advanced diesel fuel additives through our ongoing commitment to quality, integrity and product advancement. All of our energy and resources are singularly focused on treating diesel fuel. Our complete line of industry-leading

diesel fuel additives provides year-round engine performance improvement, trouble-free winter operation and proper fuel tank hygiene.

Made in Texas

Our 43-acre corporate campus is located in Weatherford, Texas, and includes a 1.3 million gallon bulk chemical storage plant, testing and research laboratories, and a highly automated chemical manufacturing warehouse. These modern facilities

efficiently process product orders for more than 1,000 warehouse distributors, retailers, fleets and original equipment manufacturers serving clients worldwide.

Industry-Leading Research & Development

Just as diesel fuel and engine technologies continue to evolve, we constantly are improving our additive technology to address the needs of the diesel industry for both new and legacy equipment. Through



Production line



Research laboratory



First production line, 1975



Al Kramer's garage, 1956



Ed Kramer, 1971

continued research and fuel testing from our state-of-the-art research laboratory, Power Service has developed industry-leading performance additives that improve diesel engine performance, provide trouble-free winter operability and proper fuel tank hygiene.

Our History

When Al Kramer mixed up the first batch of Power Service **Diesel Fuel Supplement®** in his garage in 1956, he knew he was on to something. It simply worked better than anything he had seen during his years as a chemist for a major oil company.

Al's son, Ed, helped market Power Service, taking it directly to the

truckers who needed it. Where Al's ingenuity was in the lab, Ed's proved to be in the field. Conducting a simple shaker test in the parking lot of a local truck stop, Ed put Power Service up against the leading diesel fuel additives of the day. The results were undeniable.

Power Service **Diesel Fuel Supplement** simply dispersed water faster and more completely than anything on the market. The truckers took note and so did the truck-stop owner who agreed to carry the product.

When Ed took over management of the business in 1971, he had only one product to sell. He knew that a strong national distributor network was essential to the company's growth and success, so he used the same resourcefulness he showed early on in his career and immediately began securing new warehouse distributors. By 1976, Power Service **Diesel Fuel Supplement** was available coast-to-coast, and by 1981 was the nation's bestseller.

With its distribution network in place, Power Service then began

developing diesel fuel treatments to meet the needs of major fleets wanting reliable winter-fuel operability at a low per-gallon treatment cost. About that same time, premium diesel fuel sales were just taking off — so Power Service started developing products to give fuel-jobbers and truck stops the competitive edge they needed for premium fuel sales.

Today, Power Service Products of Weatherford, Texas, offers a complete line of diesel fuel additives. What started 60 years ago in a small, one-car garage has grown into one of the industry's biggest and most endearing success stories. Power Service Products is a recognized leader in diesel fuel additive technology — *a company dedicated to giving more power to you.*



Power Service corporate offices



Distributed By:

Flintstone Hydrocarbons Pty Ltd
Power Service Products
Cape Town
Contact Daniel 0846805633
www.flintstonehydrocarbons.com

©2022 Power Service Products, Inc.
07.24.22 26424

South Africa
POWER SERVICE PS
Diesel Additives
www.powerservice.com